

# INDEX MAPS.

**T. 17 N. R. 6 W. 2<sup>nd</sup> Mer. (Ind.<sup>a</sup>)**

	6	6	5	5	5	4						
8	6	29	5	25	4	21	3	16	2	12	1	4
	31		28		24		20		16		12	
8	7	28	8	24	9	20	10	16	11	11	12	4
	30		28		24		20		15		11	
7	18	27	17	23	16	19	15	15	14	11	13	4
	30		27		23		19		14		10	
7	19	26	20	22	21	18	22	14	23	10	24	3
	29		26		22		18		14		9	
7	30	26	29	22	28	18	27	13	26	9	25	3
	29		25		21		17		13		8	
6	31	25	32	21	33	17	34	13	35	8	36	3
	2		2		1		1		1		1	

**T. 18 N. R. 6 W. 2<sup>nd</sup> Mer.**

	37		37		37		27		36		36	
29	6	62	5	57	4	53	3	48	2	44	1	36
	64		61		57		52		48		43	
29	7	61	8	56	9	52	10	47	11	43	12	36
	63		60		56		51		47		42	
29	18	60	17	55	16	51	15	47	14	42	13	35
	63		59		55		51		46		42	
28	19	59	20	54	21	50	22	46	23	41	24	35
	62		59		54		50		45		41	
28	30	58	29	53	28	49	27	45	26	40	25	35
	62		58		54		49		44		40	
28	31	57	32	52	33	49	34	44	35	40	36	34
	34		34		34		33		33		33	

The figures on the lines refer to the page.

Township N. 17 North, Range N. 6 West 2. Mer. Indiana.

Township Series.

Ch. Lk. South Boundary. Var. 6. 40. E.

West on the S. Boundary of Sec. 36

40.00 set of sec. post from which

a Beech 8 in. dia. bears S 7 E 28 lbs. dist. 8

a Do 9 " " " N 46 W 39 " "

79.00 a Brook 6 lbs. wide course S W

80.00 set post cor. of sec. 35 & 36 from which

a Beech 9 in. dia. bears N 58 E 4 lbs. dist. 8

a Sugar 30 " " " S 60 W 37 " "

Land similar good farming land

West on the S. Boundary of Sec. 35

40.00 set of sec. post from which

a Beech 12 in. dia. bears S 88 E 24 lbs. dist. 8

a Sugar 15 " " " S 44 W 21 " "

80.00 set post cor. of sec. 34 & 35 from which

a Beech 9 in. dia. bears S 83 W 9 lbs. dist. 8

a Beech 10 " " " N 53 E 19 " "

Land good for farming

West on the S. Boundary of Sec. 34

40.00 set of sec. post from which

a Sugar 10 in. dia. bears N 79 E 8 lbs. dist. 8

a Do 12 " " " S 47 W 26 " "

53.50 a Creek 70 lbs. wide course S W

80.00 set post cor. of sec. 33 & 34 from which

a Sugar 9 in. dia. bears N 19 E 13 lbs. dist. 8

a Beech 9 " " " S 73 W 12 " "

Land very rich & good for farming, part of  
Bottom overflows.

West on the S. Boundary of Sec. 33

37.00 a Brook 8 lbs. wide course S W

40.00 set of sec. post from which

a Gum 18 in. dia. bears N 37 E 22 lbs. dist. 8

## T. 17 N., R. 6 W. 2. Mer. Ind. a.

Chs. Lps.

- an Ironwood 5 in. dia. bears S 1 E 10 lbs. dist.  
 50.00 a Brook 8 lbs. wide course S.  
 62.00 a Do 8 " " " S  
 80.00 set post cor. of sec. 32 & 33 from which  
 a Sugar 10 in. dia. bears N 74 E 10 lbs. dist. &  
 a Do 10 " " " S 63 W 24 " "  
 Land similar, part broken

West on the S. Boundary of Sec. 32

- 40.00 set g. sec. post from which  
 a Beech 8 in. dia. bears N 25 E 10 lbs. dist. &  
 an Elm 14 " " " S 12 E 20 " "  
 47.03 Intersect Range line 392 lbs. S. of temp. Town ship  
 corner, set post cor. of S. 16 N., R. 6 & 7 W. from which  
 a Sugar 8 in. dia. bears S 48 E 15 lbs. dist. &  
 a Do 8 " " " N 48 W 7 " "  
 Variation 7.10' E. by Observation  
 60.00 a Brook 8 lbs. wide course S.  
 72.00 a Do 8 " " " S  
 80.00 set post cor. of sec. 31 & 32 from which  
 a Sugar 18 in. dia. bears N 51 W 2 lbs. dist. &  
 a Hickory 27 " " " East 29 " "  
 Land 2 rate, west 1/2 mile rather broken, timbered  
 Beech, Sugar, Oak, Ash, Gum &c. middling  
 good farming land

West on the S. Boundary of Sec. 31

August 13, 1819

- 15.00 enter Swamp  
 25.00 leave "  
 40.00 set g. sec. post from which  
 a Beech 10 in. dia. bears S 61 E 20 lbs. dist. &  
 a Do 30 " " " S 89 W 16 " "  
 80.00 set post cor. of S. 17 N., R. 6 & 7 W. from which  
 a Hickory 12 in. dia. bears N 87 E 37 lbs. dist. &  
 a Buckeye 11 " " " N 49 W 33 " "

T. 17 N., R. 6 W. 2. Mer. Ind.<sup>a</sup>  
Ch. 2. 20.

Land Prato, part rather wet, timber same, midd-  
ling good farming land.

East Boundary, Var. 6° 55' E.

North on the E. Boundary of Sec. 36

35.00 at Brook 8 1/2 ft. wide course N 9 W. Aug. 26. 1819

40.00 set gr. sec. post from which

a Sugar 12 in. dia. bears S 35 E 22 1/2 ft. dist. S

a Do 7 " " " N 56 E 13 " "

59.00 at Brook 10 1/2 ft. wide course W

80.00 set post cor. of sec. 25 & 36 from which

at W. Walnut 9 in. dia. bears S 30 E 33 1/2 ft. dist. S

at Buckeye 11 " " " North 10 " "

Land level rich & good for farming, timber  
Sugar, Walnut, Ash, Beech

North on the E. Boundary of Sec. 25

12.00 at creek 50 ft. wide course W

40.00 set gr. sec. post from which

a Beech 11 in. dia. bears S 37 W 18 1/2 ft. dist. S

a Sugar 18 " " " N 43 E 12 " "

80.00 set post cor. of sec. 24 & 25 from which

at Beech 12 in. dia. bears S 52 W 2 1/2 ft. dist. S

a Do 12 " " " N 17 E 30 " "

Land level & good for farming, timber Beech,  
Sugar, Ash, Hickory, Oak, Elm

North on the E. Boundary of Sec. 24

40.00 set gr. sec. post from which

a Beech 6 in. dia. bears S 34 E 9 1/2 ft. dist. S

at W. Ash 9 " " " N 15 W 20 " "

80.00 set post cor. of sec. 13 & 24 from which

a Beech 30 in. dia. bears S 12 W 5 1/2 ft. dist. S

a Do 9 " " " N 11 E 18 " "

Land &c. same as last described.



T. 17 N., R. 6 W. 2<sup>d</sup>. Mer. Ind.<sup>d</sup>  
Ch. Lk?

North on the E. Boundary of Sec. 13

40.00 set g. sec. post from which

a Beech 12 in. dia. bears N 32 E 16 1/2<sup>th</sup> dist 8

a Do 30 " " " S 2 W 26 " "

80.00 set post cor. of sec. 12 & 13 from which

a Beech 12 in. dia. bears S 28 W 8 1/2<sup>th</sup> dist 8

a Hickory 9 " " " N 10 E 10 " "

Land &c. similar to last mile

North on the E. Boundary of Sec. 12

40.00 set g. sec. post from which

a Beech 12 in. dia. bears S 19 W 11 1/2<sup>th</sup> dist 8

a Do 24 " " " N 22 E 42 " "

55.00 a creek 50 1/2<sup>th</sup> wide course NW

67.50 same creek " NE

80.00 set post cor. of sec. 11 & 12 from which

a W. Ash 10 in. dia. bears N 14 E 44 1/2<sup>th</sup> dist 8

a Sugar 9 " " " South 3 " "

South 1/2 mile land same as last described,  
North 1/2 mile broken

North on the E. Boundary of Sec. 1

1.50 a creek 50 1/2<sup>th</sup> wide course NW

40.00 set g. sec. post from which

a Sugar 14 in. dia. bears S 29 E 5 1/2<sup>th</sup> dist 8

an Elm 9 " " " N 62 E 6 " "

78.00 a brook 12 1/2<sup>th</sup> wide course SW

80.00 set temp. Township corner.

Land part level & part broken, 2<sup>d</sup> rate soil.

North Boundary. Var. 7<sup>th</sup> 00' E.

West on the S. Boundary of Sec. 36, T 18 N, R 6 W

40.00 set g. sec. post from which

a Beech 9 in. dia. bears S 81 E 27 1/2<sup>th</sup> dist 8

a Do 9 " " " N 59 W 11 " "

75.00 a creek 200 1/2<sup>th</sup> wide course SW

T17N., R.6W.2. Mer. Ind.

6th. Sep.

80.00 set post cor. of sec. 35 & 36 from which  
a Sugar 15 in. dia. bears N17E 12 1/2 W. dist. 8  
a W. Oak 12 " " " S47W 11 " "  
Land broken

---

West on the S. Boundary of Sec. 35, T18N, R6W  
August 5. 1819

15.00 a Spring branch 5 1/2 W. wide course SE  
36.00 a Do 3 " " " S  
40.00 set of sec. post from which  
a Gaspap 9 in. dia. bears N76E 17 1/2 W. dist. 8  
a Beech 8 " " " S79W 15 " "  
55.00 a Brook 3 1/2 W. wide course S.  
60.00 a Do 10 " " " S. never failing  
80.00 set post cor. of sec. 34 & 35 from which  
a Beech 18 in. dia. bears N87E 34 1/2 W. dist. 8  
a Do 9 " " " N87W 24 " "  
Land broken, soil Drate, timber Beech, Sugar &c.

---

West on the S. Boundary of Sec. 34, T18N, R6W

40.00 set of sec. post from which  
a W. Oak 36 in. dia. bears N25E 6 1/2 W. dist. 8  
a Beech 11 " " " S26W 33 " "  
44.00 a Spring branch 10 1/2 W. wide course S.  
65.00 a Brook 12 1/2 W. wide course S  
80.00 set post cor. of sec. 33 & 34 from which  
a Beech 9 in. dia. bears N77E 15 1/2 W. dist. 8  
a Sugar 8 " " " S75W 25 " "  
Land rolling, timber Beech, Sugar, Ash, Oak,  
Poplar &c. good farming land.

---

West on the S. Boundary of Sec. 33, T18N, R6W

40.00 set of sec. post from which  
a Hemlock 12 in. dia. bears N38W 14 1/2 W. dist. 8  
a Beech 8 " " " S67E 8 " "  
45.00 a Brook 12 1/2 W. wide course S.

T. 17 N., R. 6 W. 2. Mer. Ind.<sup>a</sup>  
Ch.<sup>s</sup> Ch.<sup>s</sup>

80.00 set part cen. of sec. 32 & 33 from which  
a Sugar 24 in. dia. bears S 60 E 3 W. dist 8  
a Beech 11 " " " N 40 W 15 " "  
Land broken

West on the S. Boundary of Sec. 32, T 18 N, R 6 W

10.00 at Brook 10 W. wide curve S.

15.00 a Do 8 " " " S E

40.00 set pt. sec. part from which  
a Sugar 14 in. dia. bears S 7 E 12 W. dist 8  
a Do 8 " " " N 62 W 7 " "

80.00 set part cen. of sec. 31 & 32 from which  
an Oak 18 in. dia. bears S 45 E 19 W. dist 8  
a B. Ash 27 " " " N 48 W 18 " "  
East 1/2 mile broken, rest level 2. rate, timber  
Beech, Sugar, Ash, Oak, Poplar &c.

West on the S. Boundary of Sec. 31, T 18 N, R 6 W

40.00 set pt. sec. part from which  
a Sugar 8 in. dia. bears S 69 W 14 W. dist 8  
an Elm 8 " " " N 28 E 30 " "

80.59 Intersect W. Boundary 10.46 Ch.<sup>s</sup> S. of temporary  
Township corner, set part at intersection corner  
of T. 17 & 18 N., R. 6 & 7 W. from which  
a Beech 9 in. dia. bears N 57 E 12 W. dist 8  
a Sugar 18 " " " S 57 W 37 " "  
Land level, timber Beech, Sugar, Ash, Walnut,  
Poplar. Very rich and good for farming.

West Boundary. Var. 7° 10' E.

North on the E. Boundary of Sec. 36, T 17 N, R 7 W

August 28. 1819

40.00 set pt. sec. part from which  
a Hickory 14 in. dia. bears S 20 W 3 W. dist 8  
an Elm 11 " " " S 69 E 27 " "

70.00 at Brook 5 W. wide curve N.

T. 17 N., R. 6 W. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>  
Ch<sup>a</sup>. Sh<sup>a</sup>.

80.00 set part cor. of sec. 25 & 26 from which  
a Sugar 9 in. dia. bears S 32 E 5 W. dist. 8  
a Do 9 " " " N 32 W 15 " "  
Land level, rich & good for farming, timber  
Sugar, Walnut, Oak, Beech, Elm, Ash

North on the E. Boundary of Sec. 25, T. 17 N., R. 6 W.

5.00 a Brook 10 W. wide course NW

40.00 set gr. sec. part from which  
a Walnut 4 in. dia. bears N 48 E 20 W. dist. 8  
a W. Birch 8 " " " N 13 W 27 " "

41.25 a Spring branch 4 W. wide course NE

80.00 a Sugar 12 in. dia. stands for corner of sec.  
24 & 25

South 1/2 mile land similar, North 1/2 mile broken.

North on the E. Boundary of Sec. 24, T. 17 N., R. 6 W.

0.00 a creek 30 W. wide course W

40.00 set gr. sec. part from which  
a Sugar 9 in. dia. bears East 20 W. dist. 8  
a Hackberry 14 " " " N 17 W 31 " "

80.00 set part cor. of sec. 13 & 24 from which  
a Sugar 15 in. dia. bears S 71 E 9 W. dist. 8  
a W. Walnut 8 " " " N 15 W 30 " "

Mostly T<sup>h</sup>ate Bottom.

North on the E. Boundary of Sec. 13, T. 17 N., R. 6 W.

30.00 a creek 200 W. wide course W

40.00 set gr. sec. part from which  
a Ironwood 6 in. dia. bears S 61 E 7 W. dist. 8  
a W. Ash 4 " " " N 43 W 12 " "

52.00 a Brook 20 W. wide course E

80.00 set part cor. of sec. 12 & 13 from which  
a Beech 9 in. dia. bears S 3 E 8 W. dist. 8  
a Sugar 27 " " " N 12 W 27 " "

Most of this mile broken land, S. part bottom



T. 17 N., R. 6 W. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>  
Ch. Lks

North on the E. Boundary of Sec. 12, T 17 N, R 7 W  
40.00 a Spruce 12 in. dia. stands for gr. sec. cor.

80.00 set post cor. of sec. 12 & 12 from which  
a Beech 9 in. dia. bears N 84 W 9 lbs. dist 28  
a Sugar 4 " " " S 7 W 5 " "  
Land level, 1 1/2 mile good farming land,  
1 1/2 mile part wet

North on the E. Boundary of Sec. 1, T 17 N, R 7 W  
40.00 set gr. sec. post from which

a Beech 9 in. dia. bears N 18 E 6 lbs. dist 28  
a Do 8 " " " South 30 " "

80.00 set temp. Township corner.

Land 2<sup>d</sup> rate, good farming land, timber  
Beech, Sugar &c.

August 26. 1819. William Harris  
Dep. Surveyor.

### Subdivision.

North between Sec. 35 & 36

19. 10 a Buckeye 10 in. dia.

35. 50 a Stream 20 lbs. wide course W

40.00 set gr. sec. post from which

a Beech 14 in. dia. bears N 50 W 25 lbs. dist 28

an Elm 7 " " " S 44 E 22 " "

58. 67 a Sugar 10 " "

68.00 a Stream 20 lbs. wide course S W

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

a Beech 9 in. dia. bears S 82 W 16 lbs. dist 28

a Sugar 10 " " " S 55 E 24 " "

Land broken, soil 2<sup>d</sup> quality, timber Beech, Ash,  
Sugar, Walnut, Wye. Hazel

East on Random between Sec. 25 & 36

25.00 an ancient mound 20 feet high

40.00 set temp. gr. sec. post



# T. 17 N., R. 6 W. S. Mer. Ind. <sup>9</sup>

Chp. Lk?

- 41.50 a Stream 20 W. wide course S W  
 44.50 said stream course N W  
 53.50 do " S W  
 57.00 a good spring course N.  
 80.20 Intersect E. Boundary 7 W. S. of post—  
 Land broken, soil 2<sup>d</sup> rate quality, timber Beech,  
 Ash, Sugar, W. Oak, B. Walnut. Upr. Spruce.

West Corrected between Sec. 25 & 36

- 40.10 set q. sec. post at aver. dist. from which  
 a Buckeye 10 in. dia. bears S 25 E 11 W. dist. 3  
 a Sugar 9 " " " N 25 W 33 " "  
 80.20 to sec. cor.

North between Sec. 25 & 26

- 22.03 a Hickory 18 in. dia.  
 40.00 set q. sec. post from which  
 a Beech 12 in. dia. bears S 38 W 21 W. dist. 3  
 a Do 18 " " " S 85 E 28 " "  
 59.50 a Stream 8 W. wide course W  
 59.90 a Glen Ash 14 in. dia.  
 70.00 a Stream 10 W. wide course S W  
 80.00 set post cor. of sec. 23, 24, 25 & 26 from which  
 a Beech 8 in. dia. bears S 8 E 11 W. dist. 3  
 a W. Walnut 9 " " " N 85 W 9 " "  
 Land broken, soil 2<sup>d</sup> quality, timber Beech,  
 Poplar, W. Oak, Sugar. Upr. Hazel

East on Random between Sec. 24 & 25

- 18.00 a Stream 8 W. wide course S W  
 20.00 said stream course N W  
 26.00 do " S W  
 40.00 set temp. q. sec. post.  
 80.20 Intersect E. Boundary 24 W. S. of post—  
 Land level, soil 2<sup>d</sup> quality, timber Sugar  
 Beech, B. W. Walnut. Upr. Spruce

T. 17 N., R. 6 W. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>  
Ch<sup>d</sup>. 1<sup>st</sup>.

West Corrected between Sec. 24 & 25

40.10 set g<sup>r</sup>. sec. post at aver. dist. from which  
a Buckeye 20 in. dia. bears S 64° W 31 W. dist 28  
a Coffeenut 10 " " " N 44° W 31 " "  
80.00 to sec. cor.

---

North between Sec. 23 & 24

20.40 a W. Hickory 14 in. dia.

40.00 set g<sup>r</sup>. sec. post from which  
a Beech 10 in. dia. bears S 19° E 9 W. dist 28  
a Do 9 " " " N 77° W 21 " "

61.02 a Sugar 10 " "

75.50 a Stream 12 W. wide course S W

80.00 set post cor. of sec. 13, 14, 23 & 24 from which  
a Sugar 14 in. dia. bears N 25° E 39 W. dist 28  
a Buckeye 10 " " " S 80° W 26 " "  
Land broken, soil 2<sup>d</sup>. quality, timber Beech, Ash,  
Poplar, B. Walnut. Upr. Spice

---

East on Random between Sec. 13 & 24

1.50 a Stream 12 W. wide course S W

12.00 said stream course N W

28.50 do " S W

30.00 do " N W

31.00 do " S W

40.00 set trap. g<sup>r</sup>. sec. post

70.00 said stream course N W

80.15 Intersect E. Boundary 15 W. S. of post -

Land broken, soil 2<sup>d</sup>. rate, good farming land.  
timber Poplar, Ash, Sugar, Beech, B. Walnut,  
Upr. Spice

---

West Corrected between Sec. 13 & 24

40.07 set g<sup>r</sup>. sec. post at aver. dist. from which  
a Sugar 12 in. dia. bears S 56° E 5 W. dist 28  
a Do 14 " " " N 45° E 29 " "

## T. 17 N., R. 6 W. 2. Mer. Ind. a

Chs. 9th.

80.15 to sec. corner.

North between Sec. 13 &amp; 14

28.67 a W. Ash 30 in. dia.

40.00 set q. sec. post from which

a Beech 24 in. dia. bears N 68° 41' 17" W. dist. 8

a Sugar 10 " " " N 43° E 21 " "

68.50 a W. Oak 18 " "

80.00 set post cor. of sec. 11, 12, 13 &amp; 14 from which

a Beech 26 in. dia. bears S 8° E 41 W. dist. 8

a Hickory 13 " " " N 13° 41' 12 " "

Land broken, soil 2<sup>d</sup> quality, timber Beech,  
Ash, Sugar, Poplar. Upr. Spice

East in Random between Sec. 12 &amp; 13

27.00 a Stream 6 W. wide course N 41°

40.00 set temp. q. sec. post

80.50 Intersect E. Boundary 25 W. S. of post -

Land broken, soil 2<sup>d</sup> quality, timber Beech,  
Hickory, Sugar, Ash, Poplar. Upr. Spice

West Connected between Sec. 12 &amp; 13

40.25 set q. sec. post at aver. dist. from which

a Sugar 12 in. dia. bears S 6° 41' 20" W. dist. 8

a Do 14 " " " N 35° 41' 2 " "

80.50 to sec. cor. September 15. 1820

North between Sec. 11 &amp; 12

15.00 a good spring course N 50°

20.44 a Poplar 30 in. dia.

40.00 set q. sec. post from which

a Sugar 16 in. dia. bears S 59° E 23 W. dist. 8

a Beech 6 " " " S 59° 41' 3 " "

66.29 a Poplar 40 " "

80.00 set post cor. of sec. 1, 2, 11 &amp; 12 from which

a Poplar 14 in. dia. bears S 26° 41' 28 W. dist. 8

T. 17 N., R. 6 W. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>  
Ch. Ch.

a Beech 14 in. dia bears N 33 E 31 W. dist. 8  
Land broken, soil 2<sup>d</sup> quality, timber Poplar,  
Beech, Sugar, Hickory, Ash. Uly. Spice

East on Random between Sec. 1 & 12

8.00 a Stream 10 W. wide course N.  
20.00 a high cliff & said stream course SE  
22.00 said stream course N.  
40.00 set temp. g. sec. post  
51.50 a Stream 100 W. wide course N.  
60.50 said stream course SW  
80.50 Intersect E. Boundary 12 W. S. of post —  
Land dreadfully broken with tremendous  
cliffs, soil 3<sup>d</sup> quality, timber Beech, Poplar  
Ash, W. Oak, W. Pine, Hemlock. Uly. same

West Connected between Sec. 1 & 12

40.25 set g. sec. post at aver. dist. from which  
a Beech 8 in. dia bears S 72 W 13 W. dist. 8  
a Sugar 14 " " " N 8 E 12 " "  
80.50 to sec. cor.

North between Sec. 1 & 2

20.50 a W. Oak 24 in. dia.  
29.00 Sugar Creek at the mouth of a stream 100 W.  
wide course NW. The course of Sugar Cr. is W.  
32.00 right bank of Sugar Creek  
40.00 set g. sec. post from which  
a Beech 14 in. dia bears S 29 W 11 W. dist. 8  
a W. Oak 14 " " " N 35 E 14 " "  
72.20 Intersect N. Boundary 200 W. of post —  
set post cor. of sec. 1 & 2 from which  
a W. Oak 24 in. dia bears South 22 W. dist. 8  
a Sugar 12 " " " S 43 W 47 " "  
Land very broken, soil 3<sup>d</sup> quality. Uly. Spice

T. 17 N., R. 6 W., 2<sup>d</sup> Mer. Ind<sup>a</sup>.Ch<sup>a</sup>. Lk<sup>a</sup>.

North between Sect. 34 &amp; 35

20.83 a Beech 8 in. dia.

35.00 a Stream 75 W<sup>a</sup>. wide course S<sup>a</sup>W40.00 set q<sup>a</sup>. sec. post from whicha Beech 14 in. dia. bears S 61 E 14 W<sup>a</sup>. dist. 3an Iron<sup>a</sup>. 9 " " " N 82 W 32 " "

59.41 a B. Oak 24 " "

80.00 set post cor. of sect. 26, 27, 34 &amp; 35 from which

a Beech 8 in. dia. bears S 77 E 3 W<sup>a</sup>. dist. 3

a Hornbeam 6 " " " S 63 W 37 " "

Land broken, soil 2<sup>d</sup> quality, timber Beech,Ash, B. Oak, Poplar, Sugar, B. Walnut. Ulf<sup>a</sup>.

Spice &amp; Hazel

East on Random between Sect. 26 &amp; 35

40.00 set temp. q<sup>a</sup>. sec. post79.88 Intersect N & S. line 20 W<sup>a</sup>. N. of post —Land broken, soil 3<sup>d</sup> quality, timber Beech,W & B. Oak, Poplar. Ulf<sup>a</sup>. Bramble

West Corrected between Sect. 26 &amp; 35

39.94 set q<sup>a</sup>. sec. post at aver. dist. from whicha Poplar 30 in. dia. bears S 47 E 10 W<sup>a</sup>. dist. 3

a Beech 9 " " " N 74 W 6 " "

79.88 to sec. cor. September 16, 1820

North between Sect. 26 &amp; 27

30.47 a Sugar 12 in. dia.

40.00 set q<sup>a</sup>. sec. post from whicha Beech 12 in. dia. bears N 26 E 14 W<sup>a</sup>. dist. 3

a Do 10 " " " N 65 W 7 " "

41.50 a Stream 25 W<sup>a</sup>. wide course S<sup>a</sup>W

43.00 said stream course S E

45.00 do " S W

58.93 a Lym 14 in. dia.

80.00 set post cor. of sect. 22, 23, 26 &amp; 27 from which



## T. 17 N., R. 6 W. 2. Mer. Ind. a.

Ch. Lk.

a Beech 26 in. dia. bears N 56 W 26 W. dist 8  
 a Hickory 18 " " " S 84 E 44 " "  
 Land rolling, soil good for farming, timber  
 W & B Oak, Beech, Poplar, Walnut. Upr. Spruce

## East on Random between Sec. 23 &amp; 26

40.00 set temp. q. sec. post

80.00 Intersect N &amp; S. line 30 W. N. of post -

Land rolling, soil 2 quality, timber Beech,  
 Ash, Sugar, W & B Oak, Walnut. Upr. Spruce

## West Corrected between Sec. 23 &amp; 26

40.00 set q. sec. post at aver. dist. from which

a Sugar 16 in. dia. bears S 11 E 8 W. dist 8

a Beech 10 " " " N 62 W 15 " "

80.00 to sec. cor.

## North between Sec. 22 &amp; 23

21.89 a Sugar 12 in. dia. bears

33.00 a Stream 20 W. wide course SW

40.00 set q. sec. post from which

a Beech 12 in. dia. bears N 68 E 27 W. dist 8

a Do 9 " " " N 33 W 27 " "

61.37 a Sugar 20 " "

79.50 a Stream 6 W. wide course SW

80.00 set post cor. of sec. 14, 15, 22 &amp; 23 from which

a W. Walnut 18 in. dia. bears S 70 W 35 W. dist 8

a Do 18 " " " N 70 E 12 " "

Land good for farming, timber Ash, Poplar,  
 Sugar, Beech, Hickory, Walnut. Upr. Spruce

## East on Random between Sec. 14 &amp; 23

0.50 a Stream 6 W. wide course SW

40.00 set temp. q. sec. post

80.50 Intersect N &amp; S. line 28 W. N. of post -

Land rolling, soil 1. quality, timber Beech,

T. 17 N., R. 6 W. 2. Mer. Ind.<sup>a</sup>  
Ch. 2. 20.

Sugar, B Walnut, Hickory. Ulp. Spice

---

West Corrected between Sec. 14 & 23

40.25 set gr. sec. post at aver. dirt. from which  
a Sugar 26 in. dia. bears S 33 E 15 W. dirt. &  
a Do 10 " " " N 33 W 10 " "  
80.50 to sec. cor.

---

North between Sec. 14 & 15

1.15 a Stream 6 W. wide course E  
3.00 said stream " W  
23.50 a W. Ash 24 in. dia.  
40.00 set gr. sec. post from which  
a W. Ash 20 in. dia. bears S 40 E 7 W. dirt. &  
a Beech 18 " " " N 62 E 10 " "  
62.81 a Do 8 " "  
80.00 set post cn. of sec. 10, 11, 14 & 15 from which  
a W. Elm 12 in. dia. bears South 7 W. dirt. &  
a Sugar 12 " " " N 73 W 24 " "  
Land rolling, soil good for farming, timber Beech,  
Ash, Sugar, B Walnut, Poplar, Hickory.  
Ulp. Spice.

---

East on Random between Sec. 11 & 14

40.00 set temp. gr. sec. post  
75.00 a Stream 6 W. wide course N.  
80.53 Intersect N. & S. line 30 W. N. of post -  
Land rolling, soil 2. quality, timber W. B. Oak,  
B Walnut, Poplar, Beech. Ulp. Sumack & Hazel

---

West Corrected between Sec. 11 & 14

40.26 set gr. sec. post at aver. dirt. from which  
a Sugar 10 in. dia. bears N 52 E 6 W. dirt. &  
a Beech 9 " " " S 52 W 10 " "  
80.53 to sec. cor. September 17, 1820

---

T. 17 N., R. 6 W. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>Coh. 2<sup>nd</sup>.

North between Sec. 10 &amp; 11

21.88 at Beech 36 in. dia.

40.00 set of sec. post from which

at Beech 10 in. dia. bears N 84 E 10 lbs. dist. 28

a Do 10 " " " N 82 W 27 " "

60.45 a Do 9 " "

60.75 a Station 6 lbs. wide course E.

80.00 set post cor. of Sec. 2, 3, 10 &amp; 11 from which

at Beech 8 in. dia. bears N 85 E 14 lbs. dist. 28

a Do 8 " " " S 16 W 19 " "

Land badly broken with high hills, timber  
Hickory, W. Oak, Beech, Wgs. Dogwood

East on Raudon between Sec. 2 &amp; 11

7.50 Sugar Creek course NW

9.50 lower end of an Island

12.40 right bank of Sugar Creek

34.50 Sugar Creek course S.

37.20 left bank of Creek

40.00 set temp. of sec. post

80.50 Intersect N &amp; S. line 30 lbs. N. of post -

Land much broken with deep ravines, timber  
Sugar, Beech, Hemlock & Pines Wgs. same

West Corrected between Sec. 2 &amp; 11

40.25 set of sec. post at aver. dist. from which

a Sugar 10 in. dia. bears - 42 E 5 lbs. dist. 28

a Do 9 " " " S 14 E 25 " "

80.50 to sec. cor.

North between Sec. 2 &amp; 3

9.00 Sugar Creek course SW

13.00 right bank of Creek, high cliff

16.50 at W. Oak 14 in. dia.

40.00 set of sec. post from which

at W. Oak 26 in. dia. bears S 55 W 16 lbs. dist. 28

17

T. 17 N., R. 6 W. 2<sup>d</sup>. Mer. Ind. a.

Ch. 1<sup>st</sup> 1<sup>st</sup>?

- a B. Oak 36 in. dia. bears North 17 W. dist.
- 61.17 a Beech 12 " "
- 73.20 Intersect N. Boundary 327 W. N. of post -  
 sit post at intersection cor. of sec. 2 & 3 from which  
 a W. Ash 22 in. dia. bears S 10 E 13 W. dist. 2  
 a Beech 14 " " " S 19 W 32 " "  
 Land very broken, soil poor, timber Beech,  
 W. Oak, Hemlock, Pine. Upr. Dogwood

North between Sec. 33 & 34

- 5.00 a Stream 6 W. wide course E
- 18.91 a Lym 12 in. dia.
- 40.00 sit gr. sec. post from which  
 a Sugar 12 in. dia. bears S 63 E 9 W. dist. 8  
 a Beech 9 " " " N 46 W 18 " "  
 58.12 a Do 16 " "  
 65.00 a Stream 10 W. wide course NE
- 80.00 sit post cor. of sec. 27, 28, 33 & 34 from which  
 a Sugar 12 in. dia. bears N 16 E 10 W. dist. 8  
 a R. Elm 6 " " " S 37 W 17 " "  
 Land broken, soil Equality, timber Beech,  
 Sugar, B Walnut, Hickory. Upr. Spice

East on Random between Sec. 27 & 34

- 15.75 a Stream 30 W. wide course S
- 40.00 sit temp. gr. sec. post
- 80.10 Intersect N. S. line 16 W. N. of post -  
 Land broken, soil Poor, timber Beech,  
 W. B. Oak, Poplar, Ash, Sugar, B Walnut  
 Upr. Spice

West corrected between Sec. 27 & 34

- 40.05 sit gr. sec. post at aver. dist. from which  
 a Beech 16 in. dia. bears N 71 W 23 W. dist. 8  
 a Do 16 " " " S 60 E 10 " "  
 80.10 to sec. cor.



T. 17 N., R. 6 W. 2. Mer. Ind.<sup>a</sup>

Ch. Sk.

North between Sec. 27 &amp; 28

23.00 a Hickory 18 in. dia.

40.00 set gr. sec. post from which

a Sugar 12 in. dia. bears North 25 W. dist. 8

a Buckeye 10 " " " S 37 W 30 " "

59.12 a Sugar 20 " "

65.00 a Stream 6 W. wide course SE

80.00 set post cor. of sec. 21, 22, 27 &amp; 28 from which

a Sugar 14 in. dia. bears S 29 W 22 W. dist. 8

a Linn 8 " " " S 83 E 37 " "

Land broken, soil 2. quality, timber Beech,  
Ash, Poplar, White Oak, Hickory, Walnut.

Upr. Spice, Hazel

East on Random between Sec. 22 &amp; 27

6.00 a good spring of running water 10 W. wide  
course S.

40.00 set temp. gr. sec. post

79.85 Intersect N &amp; S. line 18 W. N. of post -

Land level, soil 2. quality, timber Beech,  
Sugar, Ash, Poplar, Walnut, Hickory.

Upr. Spice.

West Corrected between Sec. 22 &amp; 27

39.92 1/2 set gr. sec. post at aver. dist. from which

a W. Ash 18 in. dia. bears N 13 W 19 W. dist. 8

a Beech 6 " " " S 50 E 24 " "

79.85 to sec. cor.

North between Sec. 21 &amp; 22

23.28 a Sugar 36 in. dia.

40.00 set gr. sec. post from which

a Sugar 12 in. dia. bears N 27 E 12 W. dist. 8

a Do 10 " " " N 66 W 12 " "

48.50 a Stream 10 W. wide course SE

60.23 a Beech 18 in. dia.



T. 17 N., R. 6 W. 2<sup>d</sup> Mer. Ind<sup>a</sup>

Ch<sup>s</sup> & L<sup>s</sup>

80.00 set post cor. of sec. 15, 16, 21 & 22 from which  
a Sugar 14 in. diam bears S 66 E 27 1/2 W. dist. 8  
a Do 10 " " " N 77 1/2 W 28 " "  
Land level, soil 1<sup>st</sup> quality, timber Sugar, B.  
Walnut, Beech, Poplar. Upr. Spice, Hazel  
September 18. 1820

---

East on Random between Sec. 15 & 22

21.50 a Stream 6 W. wide course S.  
40.00 set temp. of sec. post  
56.00 a Stream 12 W. wide course S.  
64.00 a Do 6 " " " S W  
71.00 said stream " " " N W  
80.00 Intersect N & S. line 13 W. N. of post -  
Land level, soil 2<sup>d</sup> quality, timber Beech,  
Ash, Sugar, Poplar, Hickory. Upr. Spice

---

West corrected between Sec. 15 & 22

40.00 set of sec. post at aver. dist. from which  
a Beech 5 in. diam bears S 28 E 21 1/2 W. dist. 8  
a Do 4 " " " N 16 W 19 " "  
80.00 to sec. cor.

---

North between Sec. 15 & 16

18.36 a B. Oak 40 in. diam.  
25.70 a Stream 9 W. wide course E.  
40.00 set of sec. post from which  
a Sugar 10 in. diam bears N 89 W 13 W. dist. 8  
a Beech 16 " " " N 70 E 36 " "  
61.38 a W. Oak 24 " "  
80.00 set post cor. of sec. 9, 10, 15 & 16 from which  
a Beech 14 in. diam bears N 37 W 14 W. dist. 8  
a Do 10 " " " East 36 " "  
Land level, soil 2<sup>d</sup> quality, timber Beech,  
Ash, Sugar, W & B. Oak. Upr. Spice.

---

T. 17 N., R. 6 W. 2<sup>d</sup> Mer. (Ind<sup>a</sup>.)Ch<sup>a</sup>. Sp<sup>a</sup>.

East in Random between Sec. 10 &amp; 15

40.00 set temp. gr. sec. post

48.50 a stream 10 kps. wide course S.

79.90 Intersect N &amp; S. line 10 kps. N. of post—

Land level, soil 2<sup>d</sup> quality, timber Beech,  
Ash, Sugar, W. Oak, Poplar. Upr. Spice

West Corrected between Sec. 10 &amp; 15

39.95 set gr. sec. post at aver. dirt from which  
a Hickory 10 in. dia. bears N 46 E 33 kps. dirt is  
a Sugar 12 " " " S 31 E 18 " "

79.90 to sec. cor.

North between Sec. 9 &amp; 10

20.40 a Sugar 12 in. dia.

40.00 set gr. sec. post from which

a Sugar 20 in. dia. bears N 56 W 14 kps. dirt is  
a Beech 7 " " " N 74 E 15 " "

66.85 a Dr 9 " "

80.00 set post cor. of sec. 3, 4, 9 &amp; 10 from which

a B. Oak 48 in. dia. bears East 3 kps. dirt is

a Sugar 10 " " " N 86 W 30 " "

Land broken, soil 2<sup>d</sup> quality, timber Beech, Ash,  
W. B. Oak. Upr. Spice

East in Random between Sec. 3 &amp; 10

40.00 set temp. gr. sec. post

70.00 a high cliff, a stream 6 kps. wide course N.

79.96 Intersect N &amp; S. line 13 kps. N. of post—

Land badly broken with high hills, soil poor,  
timber W. Oak, Beech, Hemlock. Upr. same

West Corrected between Sec. 3 &amp; 10

39.98 set gr. sec. post at aver. dirt from which

a W. Oak 16 in. dia. bears N 27 W 32 kps. dirt is

a Sugar 14 " " " S 50 E 29 " "

21

T. W. N., R. O. W. L. Mer. Ind.<sup>a</sup>

Chs. Sk.<sup>s</sup>  
79.90 to sec. corner.

---

North between Secs. 3 & 4

30.00 Sugar Creek course W. a good mill seat

32.25 to N. bank of Sugar Creek, rocky bottom

32.85 a Sycamore 24 in. dia.

40.00 set gr. sec. post from which

a Beech 11 in. dia. bears S 58 E 5 1/2 W. dist. 8

a Sugar 10 " " " N 58 W 3 " "

64.00 a W. Oak 12 " "

71.25 Intersect N. Boundary 304 W. of post -

set post at intersection cor. of sec. 3 & 4 from which

a Sugar 7 in. dia. bears S 40 E 29 1/2 W. dist. 8

a Hickory 10 " " " S 64 W 39 " "

Land broken, soil poor, timber Beech, W. Oak,  
Pine. Upr. same

North between Secs. 32 & 33

18.42 a Beech 16 in. dia.

40.00 set gr. sec. post from which

a Maple 16 in. dia. bears S 33 W 20 W. dist. 8

a Do 9 " " " S 52 E 26 " "

63.00 a W. Elm 18 " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which

a Beech 10 in. dia. bears S 83 W 24 W. dist. 8

a Do 14 " " " North 34 " "

Land broken, 1 1/2 mile, - last 1/2 mile level,  
soil 2<sup>d</sup> quality, timber Beech, Ash, Hickory.

Upr. Spice. September 19, 1820

East on Random between Secs. 28 & 33

40.00 set temp. gr. sec. post

80.00 Intersect N. & S. line 13 W. N. of post -

Land rolling, soil good for farming, timber  
Poplar, Beech, Sugar, Hickory, Ash & Upr.  
Spice &c.

## T. 17 N., R. 6 W. 2. Mer. Ind.

Ch. Sk?

West Connected between Sec. 28 &amp; 33

40.00 set gr. sec. post at aver. dist. from which  
 a W. Ash 14 in. dia. bears N 86 E 9 W. dist. 8  
 a Sugar 15 " " " S 50 W 7 " "  
 80.00 to sec. cor.

North between Sec. 28 &amp; 29

23.23 a Beech 7 in. dia.

40.00 set gr. sec. post from which  
 a Beech 12 in. dia. bears S 53 E 27 W. dist. 8  
 a Sugar 12 " " " S 80 W 11 " "

59.50 a Stream 6 W. wide course N E

67.18 a W. Ash 14 in. dia.

80.00 set post cor. of sec. 20, 21, 28 & 29 from which  
 a Beech 16 in. dia. bears South 2 W. dist. 8  
 a Do 10 " " " N 18 W 28 " "  
 Land rolling, timber Beech, Poplar, Ash, Sugar,  
 Hickory. Upr. Spice.

East on Random between Sec. 21 &amp; 28

28.50 a Stream 6 W. wide course N

40.00 set temp. gr. sec. post

60.00 said stream course S E

80.08 Intersect N &amp; S. line 18 W. N. of post -

Land rolling & handsome for farming, timber  
 Sugar, Beech, Ash, Hickory. Upr. Spice

West Connected between Sec. 21 &amp; 28

40.04 set gr. sec. post at aver. dist. from which  
 a W. Walnut 30 in. dia. bears N 57 E 27 W. dist. 8  
 a Sugar 12 " " " S 55 E 16 " "  
 80.08 to sec. cor.

North between Sec. 20 &amp; 21

20.35 a Sugar 20 in. dia.

40.00 set gr. sec. post from which

## T 17 N., R. 6 W. 2. Mer. Ind.

Chas. Elk?

a Beech 24 in. dia. bears S 48 E 21 W. dist. 8

a Sugar 20 " " " N 29 W 17 " "

60.00 a W. Oak 10 " "

80.00 set post cor. of sec. 15, 16, 20 &amp; 21 from which

a Beech 9 in. dia. bears N 43 E 4 W. dist. 8

a R. Elm 10 " " " S 12 W 19 " "

Land rolling, soil 2. quality, timber Beech,  
Poplar, Ash, Sugar, Walnut, Upr. Spice &  
Pawpaw

## East on Random between Sec. 16 &amp; 21

40.00 set temp. gr. sec. post

79.98 Intersect N. S. line 12 W. N. of post -

Land rolling, 2. quality, timber Beech, Ash,  
Poplar, W. Oak, Sugar, Upr. Pawpaw

## West Connected between Sec. 16 &amp; 21

39.99 set gr. sec. post at aver. dist. from which

a Sugar 14 in. dia. bears N 19 W 35 W. dist. 8

a Beech 7 " " " S 16 E 15 " "

79.98 to sec. cor. September 20, 1820

## North between Sec. 16 &amp; 17

21.30 a Beech 10 in. dia.

40.00 set gr. sec. post from which

a Sugar 10 in. dia. bears N 59 E 26 W. dist. 8

a Beech 11 " " " West 29 " "

68.00 a Stream 12 W. wide course N W

76.08 a Sugar 12 in. dia.

80.00 set post cor. of sec. 8, 9, 16 &amp; 17 from which

a Sugar 12 in. dia. bears N 75 E 33 W. dist. 8

a Beech 8 " " " S 60 W 18 " "

Land broken, soil 2. quality, timber Beech,  
Ash, Poplar. Upr. Spice~~North between Sec. 8 & 9~~



T. 17 N., R. 6 W. 2. Mer. Ind. a.  
Ch. Cr.

East on Random between Sec. 9 & 16

40.00 set temp. q. sec. port

80.00 Intersect N. & S. line 8 W. N. of port -

Land rolling, timber Beech, Sugar, Poplar,  
Ash. Soil 2<sup>d</sup> quality, Upr. Spice

West Corrected between Sec. 9 & 16

40.00 set q. sec. port at aver. dist. from which  
a Poplar 10 in. dia. bears S 58 W 13 W. dist. 8  
a Do 9 " " " N 41 E 10 " "

80.00 to sec. cor.

North between Sec. 8 & 9

21.00 a Sugar 12 in. dia.

40.00 set q. sec. port from which

a Hickory 14 in. dia. bears S 81 W 13 W. dist. 8

a Do 9 " " " N 66 E 17 " "

42.00 a Stream 6 W. wide course NW

57.86 a W. Ash 24 in. dia.

80.00 set port cor. of sec. 4, 5, 8 & 9 from which

a W. Oak 10 in. dia. bears East 37 W. dist. 8

a Sugar 12 " " " N 50 W 20 " "

Land broken, soil poor, timber W. Oak,  
Beech, Poplar, Upr. Dogwood

East on Random between Sec. 4 & 9

40.00 set temp. q. sec. port

79.96 Intersect N. & S. line 18 W. N. of port -

Land rolling, soil 2<sup>d</sup> quality, timber W. Oak,  
B. Oak, Beech, Sugar. Upr. Spice.

West Corrected between Sec. 4 & 9

39.98 set q. sec. port at aver. dist. from which

a Hickory 18 in. dia. bears N 77 W 6 W. dist. 8

a Sugar 14 " " " S 78 E 15 " "

79.96 to sec. cor.

## T. 17 N., R. 6 W. 2. Mer. Ind. A.

Chs. Chs.

North between Sec. 4 &amp; 5

21.72 a B. Oak 26 in. dia.

33.80 Sugar Creek course W.

37.00 right bank of Creek

40.00 set of sec. post from which

a Sugar 9 in. dia. bears N 51° W 16 W. dist. 8

a Do 9 " " " N 81° E 35 " "

71.88 Intersect N. Boundary 355 W. of post -

set post at intersection cor. of sec. 4 &amp; 5, from which

a Sugar 20 in. dia. bears S 60° E 20 W. dist. 8

a Do 12 " " " S 42° W 31 " "

Land broken, soil poor, timber W. Oak,

Beech, Hemlock September 21. 1820

North between Sec. 31 &amp; 32

27.10 a W. Elm 11 in. dia.

40.00 set of sec. post from which

a Beech 14 in. dia. bears S 80° E 39 W. dist. 8

a Sugar 7 " " " S 79° W 8 " "

61.50 a W. Oak 11 " "

80.00 set post cor. of sec. 29, 30, 31 &amp; 32 from which

a Sugar 9 in. dia. bears N 73° W 32 W. dist. 8

a Beech 6 " " " N 34° E 23 " "

Land broken, soil 2<sup>d</sup> rate, timber Beech, Ash,

Poplar, Sugar, Upr. Hazel, Spruce &amp;c

East on Random between Sec. 29 &amp; 32

6.75 a Stream 6 W. wide course N 9 W

40.00 set temp. of sec. post

79.00 Intersect N. S. line 18 W. N. of post -

Land some broken, soil 2<sup>d</sup> quality, timber

Beech, Ash, Poplar, Sugar, Hickory, Upr. Spruce

West Corrected between Sec. 29 &amp; 32

39.80 set of sec. post at av. dist. from which

a Spruce 12 in. dia. bears N 11° E 12 W. dist. 8

## T. 17 N., R. 6 W. 2. Mer. Ind. a

Ch. Sp.

a Lym 12 in. dia dears S 33 W 9 lbs. dint.  
79.00 to sec. cor.

## North between Sec. 29 &amp; 30

7.80 a Stream 6 lbs. wide course NW  
20.50 a Poplar 60 in. dia.  
21.00 a Stream 12 lbs. wide course NW  
40.00 set gr. sec. post from which  
a Hickory 24 in. dia dears S 28 E 6 1/2 lbs. dint. 8  
a Sugar 6 " " " S 89 E 6 " "  
62.86 a W. Ark 20 " "  
79.00 a Stream 10 lbs. wide course NW  
80.00 set post cor. of sec. 19, 20, 29 & 30 from which  
a Walnut 26 in. dia dears S 85 E 18 lbs. dint. 8  
a Sugar 6 " " " S 71 W 7 " "  
Land much broken, soil poor, timber Beech,  
Hickory, W. B. Oak, Upr. Dogwood & Spice.

## East on Random between Sec. 20 &amp; 29

40.00 set temp. gr. sec. post  
79.66 Intersect N & S. line 11 lbs. N. of post -  
Land broken, soil 2 quality, timber W. B. Oak,  
Beech, Sugar, Ark, Hickory, Upr. Spice

## West Corrected between Sec. 20 &amp; 29

39.83 set gr. sec. post at aver. dint. from which  
a Beech 14 in. dia dears N 65 W 14 lbs. dint. 8  
a Sugar 13 " " " S 10 E 33 " "  
79.66 to sec. cor.

## North between Sec. 19 &amp; 20

20.10 a W. Ark 12 in. dia.  
21.00 a Stream 6 lbs. wide course NW  
25.00 a Do 6 " " " S W  
40.00 set gr. sec. post from which  
a Sugar 12 in. dia dears S 87 E 14 lbs. dint. 8

## T. 17 N., R. 6 W. 2. Mer. Ind.

Ch. 1st

a Sugar 10 in. dia leans N 78 W 25 lbs. dnt.

61.23 a W. Oak 30 " "

69.00 a Stream 6 lbs. wide course N W

80.00 set port cor. of sec. 17, 18, 19 &amp; 20 from which

a W. Oak 20 in. dia leans S 79 W 19 lbs. dnt. &amp;

a Sugar 10 " " " N 64 E 18 " " "

Land badly broken, soil thin, timber W. Oak,

Poplar, Sugar, Beech. Upr. Dogwood

September 23, 1820

## East on Raudon between Sec. 17 &amp; 20

40.00 set temp. g. sec. port

79.84 Intersected N. G. line at port.

Land broken, soil of quality, timber Beech,  
Ash, Sugar, Poplar. Upr. Dogwood & Spruce

## West connected between Sec. 17 &amp; 20

39.92 set g. sec. port at aver. dnt. from which

a Beech 12 in. dia leans S 77 E 15 lbs. dnt. &amp;

a Do 12 " " " N 59 W 23 " "

79.84 to sec. cor.

## North between Sec. 17 &amp; 18

10.80 a Stream 6 lbs. wide course W

22.18 a W. Oak 10 in. dia.

33.00 a Stream 12 lbs. wide course W.

40.00 set g. sec. port from which

a W. Oak 36 in. dia leans N 6 E 48 lbs. dnt. &amp;

a Do 40 " " " S 44 E 25 " "

63.52 a Do 12 " "

80.00 set port cor. of sec. 7, 8, 17 &amp; 18 from which

a Beech 12 in. dia leans N 48 W 16 lbs. dnt. &amp;

a Do 8 " " " East 37 " "

Land poor &amp; broken with great hills.

Timber W. Oak, Beech. Upr. Dogwood &amp;c.



## T. 17 N., R. 6 W. 2. Mer. Ind.

Ch. Cr.

East on Random between Sec. 8 &amp; 17

40.00 sit temp. gr. sec. post, a stream 60 ft. wide N 9 W

62.50 a Stream 10 ft. wide course N 9 W

80.00 Intersect N. S. line 9 ft. N. of post -

Land hilly poor, timber W. Oak, Beech,  
Sugar, Poplar, Upr. Dogwood

West Corrected between Sec. 8 &amp; 17

40.00 sit gr. sec. post at aver. dist. from which

a W. Walnut 6 in. dia. bears N 85 E 30 ft. dist. &amp;

a Beech 8 " " " S 57 W 22 " "

80.00 to sec. cor.

Note. The stake stands on the point of a  
rock, in the forks of a stream

North between Sec. 7 &amp; 8

17.50 Sugar Creek course S 9 W.

21.50 right bank of creek

21.97 a Beech 10 in. dia.

40.00 sit gr. sec. post from which

a Blue Ash 14 in. dia. bears S 82 E 11 ft. dist.

a Sugar 10 " " " S 23 W 17 " "

68.40 a W. Oak 30 " "

80.00 sit post cor. of sec. 5, 6, 7 &amp; 8 from which

a W. Oak 26 in. dia. bears N 56 W 31 ft. dist. &amp;

a Beech 9 " " " S 48 E 15 " "

Land very broken, soil poor, timber  
W. Oak, Beech, Poplar, Upr. Dogwood

East on Random between Sec. 5 &amp; 8

35.00 a Stream 6 ft. wide course S 60 W. with  
high cliff on each side of it.

40.00 sit temp. gr. sec. post

62.00 Sugar Creek course S.

80.20 Intersect N. S. line 20 ft. N. of post -

Land poor &amp; badly broken, timber W. Oak,

29

T. H. N., R. O. W. L. Mer. Ind<sup>a</sup>.  
Ch<sup>a</sup>. Sp<sup>a</sup>.  
Beech. Upr. Dogwood

---

West connected between Sec. 5 & 8

40.10 set gr. sec. post at aver. dist. from which  
a Beech 8 in. dia. bears S 61° W 22 1/2 lbs. dist. 8  
a Sugar 14 " " " N 51° W 26 " "  
80.20 to Sec. Cn.

---

North between Sec. 5 & 6

23.04 a Sugar 15 in. dia.

40.00 set gr. sec. post from which  
a Beech 12 in. dia. bears S 75° W 14 1/2 lbs. dist. 8  
a Do 8 " " " N 51° E 11 " "

62.67 a W. Elm 24 " "

71.50 Intersect N. Boundary 332 lbs. W. of post -  
set post at intersection Cn. of Sec. 5 & 6 from which  
a W. Oak 36 in. dia. bears S 50° W 20 1/2 lbs. dist. 8  
a Lynn 18 " " " S 39° E 15 " "  
Land poor & broken, timber W. Oak, Beech  
Upr. Dogwood September 24, 1820

---

West between Sec. 30 & 31

40.00 set gr. sec. post from which  
a Sugar 8 in. dia. bears N 74° W 3 1/2 lbs. dist. 8  
a Do 7 " " " S 35° W 17 " "

65.70 a Stream 10 lbs. wide course N° W

81.00 Intersect W. Boundary 11 lbs. N. of post -  
set post at intersection Cn. of Sec. 30 & 31 from  
which a W. Oak 14 in. dia. bears S 55° E 28 1/2 lbs. dist.  
a Sugar 9 " " " N 63° E 13 " "  
Land very broken, soil thin, timber  
Beech, Ash, W. Oak, Upr. Spruce & Hazel

---

West between Sec. 19 & 30

0.50 a Stream 10 lbs. wide course N° W  
40.00 set gr. sec. post from which

## T. 17 N., R. 6 W. 2. Mer. (Ind. a)

Ch. 1 Sk.

- a R. Elm 4 in. dia bears S 68 W 10 W. dist. 8  
 a W. Beech 3 " " " S 7 E 4 " "  
 78.00 a Stream 20 W. wide course N  
 81.00 Intersect W. Boundary 100 W. S. of port -  
 set port at intersection cor. of sec. 19 & 30 from  
 which a Hickory 8 in. dia bears N 60 E 19 W. dist.  
 & a W. Oak 9 " " " S 39 E 39 " "  
 This line is much broken with deep  
 gullies or hollows, soil poor, timber  
 W. Oak, Beech.
- 

West between Sec. 18 &amp; 19

- 13.25 a Stream 6 W. wide course N W  
 40.00 set gr. sec. port from which  
 a Poplar 30 in. dia bears S 45 W 18 W. dist. 8  
 a Beech 18 " " " N 15 E 29 " "  
 81.00 Intersect W. Boundary 30 W. S. of port -  
 set port at intersection cor. of sec. 18 & 19 from which  
 a W. Oak 5 in. dia bears N 49 E 25 W. dist. 8  
 a Hornbeam 5 " " " S 5 E 30 " "  
 Land broken, soil poor, timber W. Oak,  
 Beech, Poplar, Upr. Hazel
- 

West between Sec. 7 &amp; 18

- 16.50 Sugar Creek course S.  
 19.50 right bank of Creek  
 40.00 set gr. sec. port from which  
 a Beech 8 in. dia bears N 40 W 11 W. dist. 8  
 a Sugar 6 " " " S 35 E 18 " "  
 82.00 Intersect W. Boundary 30 W. S. of port -  
 set port at intersection cor. of sec. 7 & 18 from  
 which a W. Oak 16 in. dia bears N 15 E 11 W. dist. 8  
 a Beech 8 " " " S 50 E 8 " "  
 Land broken, soil poor, timber W. Oak,  
 Beech. Upr. same
-

## T. 17 N., R. 6 W. 2. Mer. Ind. a

Ch. 2. 1/2.

West between Sec. 6 &amp; 7

1.00 a Stream 6 1/2 m. wide course NE

40.00 set gr. sec. post from which

a Sugar 9 in. diameter S 66 E 7 1/2 m. dist. 8

a Beech 10 " " " N 6 E 2 1/2 " "

82.90 Intersect W. Boundary 24 1/2 m. S. of post -

set post at intersection cor. of sec. 6 &amp; 7 from which

a Hickory 12 in. diameter N 71 E 24 1/2 m. dist. 8

a Sugar 7 " " " S 54 E 30 " "

Land broken, soil poor, timber Hickory,

Beech, W. Oak. W. Dogwood

September 25, 1820 Joseph S. Allen

Dep. Surveyor.

I certify that the foregoing transcript of  
Field Notes of the survey of Township N. 17  
North, in Range N. 6 West of the 2. Principal  
Meridian, in the State of Indiana, has been com-  
pared with the original on file in this office  
and found to be correct.

Surveyor General's Office,

Cincinnati, July 2. 1844

William Johnston  
Sur. Genl.